

2(ee) Recommendation

Use information in accordance with Section 2(ee) of FIFRA



DUPONT™ LANNATE® LV INSECTICIDE

EPA Reg. No. 352-384

FOR USE ON APPLES, BARLEY, BLUEBERRIES, FIELD CORN, SWEET CORN, NECTARINES*, PEACHES, PEARS, PEPPERS, SOYBEANS, TOMATOES AND WHEAT FOR THE CONTROL OF BROWN MARMORATED STINK BUG IN ALL STATES (EXCEPT AK, CA, NH, NY, SC and TX)**

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by EPA.

**RESTRICTED USE PESTICIDE
DUE TO HIGH ACUTE TOXICITY TO HUMANS**

For retail sale and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification. Direct supervision for this product requires the certified applicator to review federal and supplemental label instructions with all personnel prior to application, mixing, loading or repair or cleaning of application equipment.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DuPont™ LANNATE® LV can be applied for control of brown marmorated stink bug on apples, barley, blueberries, field corn, sweet corn, nectarines*, peaches, pears**, peppers, soybeans, tomatoes and wheat when populations reach locally determined economic thresholds. Consult the cooperative extension service, professional consultants or other qualified authorities to determine appropriate threshold levels for treatment in your area.

* - Nectarine use allowed in AZ and VA only.

** - Pear use allowed in Northeast states only.

APPLICATION

Make applications at a rate of 1.5 pints per acre of LANNATE® LV in barley, field corn, sweet corn, soybean and wheat by ground or air. Apply a rate of 2 to 3 pints per acre of LANNATE® LV in apple, blueberry, nectarine, peach, pear, pepper and tomato. Apply to apple, blueberry, nectarine, peach and pear by ground only. Applications to pepper and tomato can be by ground or air. Repeat applications of LANNATE® LV as necessary to prevent reinfestation from adults migrating into the crop. Consult the label for the minimum application interval for each crop. Brown marmorated stink bugs are very mobile pests. They may reinfest the treated area quickly. If another application is needed prior to the minimum application interval, use a different insecticide.

Use sufficient water to obtain thorough, uniform coverage. It is recommended to use a minimum of 20 gallons of water per acre for ground applications to row and vegetable crops and a minimum of 50 gallons of water per acre for applications to apples, nectarines,

IMPORTANT NOTICE

BEFORE BUYING OR USING DUPONT PRODUCT(S) COVERED BY THIS BULLETIN, READ THIS BULLETIN, AND THE LABELS FOR ALL PRODUCTS REFERENCED IN THIS BULLETIN, IN THEIR ENTIRETY. FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS.

It is a violation of federal law to use this or any other pesticide product in a manner inconsistent with its labeling. This bulletin contains supplemental instructions for use of the referenced DuPont product. Follow these instructions carefully. This bulletin should be in the possession of the user at the time of application.

Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using THIS product. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability on the Section 3 Federal product label.

Copies of DuPont product labels are available by calling 1-888-6-DUPONT
or at <http://cropprotection.dupont.com/>

© 2013 E.I. du Pont de Nemours and Company, 1007 Market Street, Wilmington, DE 19898

peaches, pears and blueberries. For aerial applications it is recommended to use a minimum of 5 gallons of water per acre for row and vegetable crops.

Since LANNATE® LV is a fast acting contact insecticide, best results follow direct spraying of the target insect.

For control of brown marmorated stink bug, do not apply this product through any type of irrigation system.

NOTE:

Apple: Do not apply within 14 days of harvest. Do not apply more than 15 pints of LANNATE® LV per acre per season. Do not make more than 5 applications per crop.

Barley and Wheat: Do not apply within 7 days of harvest. Do not apply more than 6 pints of LANNATE® LV per acre per crop. Do not make more than 4 application per crop.

Blueberry: Do not apply within 3 days of harvest. Do not apply more than 12 pints of LANNATE® LV per acre per crop. Do not make more than 4 applications per crop.

Field Corn: Do not apply within 3 days of harvest for forage, 21 days of harvest for ears and stover. Do not apply more than 7.5 pints of LANNATE® LV per acre per crop. Do not make more than 10 applications per crop.

Sweet Corn: Do not apply within 0 days of harvest for ears, 3 days of harvest of forage and 21 days of harvest for stover. Do not apply more than 21 pints of LANNATE® LV per acre per crop. Do not make more than 28 applications per crop.

Nectarines (use in AZ and VA only): Do not apply within 1 day of harvest. Do not apply more than 9 pints of LANNATE® LV per acre per crop. Do not make more than 3 applications per crop.

Peaches: Do not apply within 4 days of harvest. Do not apply more than 18 pints of LANNATE® LV per acre per crop. Do not make more than 6 applications per crop.

Pear (use in Northeast states only): Do not apply with 7 days of harvest. Do not apply more than 6 pints of LANNATE® LV per acre per crop. Do not make more than 2 application per crop.

Pepper: Do not apply within 3 days of harvest. Do not apply more than 15 pints of LANNATE® LV per acre per crop. Do not make more than 10 applications per crop.

Soybean: Do not apply within 14 days of harvest for soybeans, 3 days of harvest for forage and 12 days of harvest for hay. Do not apply more than 4.5 pints of Lannate LV per acre per crop. Do not make more than 3 applications per crop.

Tomato: Do not apply within 1 day of harvest. Do not apply more than 21 pints of LANNATE® LV per acre per crop. Do not make more than 16 applications per crop.

(Replaces R-1216 051311 04-19-11)

